

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
22 February 2001 (22.02.2001)

PCT

(10) International Publication Number
WO 01/12499 A2

(51) International Patent Classification⁷: **B63B 3/00**

(21) International Application Number: PCT/NL00/00565

(22) International Filing Date: 11 August 2000 (11.08.2000)

(25) Filing Language: Dutch

(26) Publication Language: English

(30) Priority Data:
1012814 12 August 1999 (12.08.1999) NL

(71) Applicant (*for all designated States except US*):
SCHELDE MARITIEM B.V. [NL/NL]; P.O. Box
555, NL-4380 AN Vlissingen (NL).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): LUDOLPHIJ, Jo-
hannes, Wilhelmus, Lubbertus [NL/NL]; Luzacstraat 7,
NL-4384 EW Vlissingen (NL).

(74) Agent: JORRITSMA, Ruurd; Nederlandsch Octrooibu-
reau, Scheveningseweg 82, P.O. Box 29720, NL-2502 LS
The Hague (NL).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished
upon receipt of that report.

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: COLLISION-RESISTANT STRUCTURE

(57) Abstract: A collision-resistant structure, for example for a ship, comprises a series of gutter sections (3) which are positioned next to or above one another, are made from a ductile material and the end edges of which are attached to the inner surface of a skin or wall (1). The gutter sections are not connected to one another by strips.

WO 01/12499 A2

Title: Collision-resistant structure

The invention relates to a collision-resistant structure, comprising: a series of gutter sections which are positioned next to or above one another, are made from a ductile material and the end edges of which are attached to the inner surface of a skin or wall.

A structure of this nature is described in the PCT patent application PCT/NL99/00757, in the name of Schelde Maritiem B.V., which is not a prior publication. This older application is restricted to a double-walled structure in which it is specified that each gutter section base is connected to the inner skin of the structure by a partition which is at right angles to the said base. Furthermore, the bases of successive gutter sections are connected to one another by means of strips. At the beginning of a collision, these strips ensure symmetrical deformation of the two side walls of the gutter sections. The strips then break off.

Surprisingly, it has now been found that the structure can be provided with a satisfactory ability to withstand collisions and explosions if the gutter sections are not connected to one another by strips.

If the said skin or wall is the outer skin of a double-walled structure, the inner skin of the said structure may be directly attached to the gutter sections, or the inner skin of the said structure may be connected to the gutter sections by partitions which are attached at right angles to the said inner skin.

It should be noted that the abovementioned older Dutch patent application 1010794 per se describes the inner skin of a double-walled structure being attached to the gutter section by partitions attached at right angles to the said inner skin. However, in all embodiments of this older application, the gutter sections are connected to one another by strips.

The invention will now be explained in more detail with reference to the figures, in which:

Figure 1 shows a vertical cross section through a collision-resistant structure according to a first embodiment.

Figure 2 shows a vertical cross section through a collision-resistant structure according to a second embodiment.

Figure 3 shows a vertical cross section through a collision-resistant structure according to a third embodiment.

Figure 4 shows a perspective view of a collision-resistant structure according to a fourth embodiment.

5 The collision-resistant structure illustrated in the figures comprises a wall 1 and gutter section 3 attached to the inner surface thereof. In figure 1, the gutter sections 3 have two side walls 4 and 5 which include an angle of approximately 45°, with the wall, and a base 6 which connects the side walls 4 and 5 to one another. Compared to the invention described in PCT/NL99/00757, this structure does not have a second wall
10 or strips which connect the base of successive gutter sections to one another, or also a partition which is at right angles to the base of each gutter section.

The embodiment shown in Figure 2 differs only slightly from the preceding figure in that the gutter sections 3 are semi-cylindrical.

15 Figure 3 relates to a double-walled structure, in which the inner skin 2 is directly attached to the base of the gutter sections 3.

Finally, Figure 4 shows a structure which differs from that shown in Figure 3 in that the inner skin 2 is not directly attached to the base of the gutter sections 3, but rather partitions 7 are attached at right angles to the base of the gutter sections 3 and the inner skin 2.

20 In none of the embodiments are the gutter sections 3 connected to one another by separate strips.

CLAIMS

1. Collision-resistant structure, comprising:
a series of gutter sections which are positioned next to or above one another, are made
5 from a ductile material and the end edges of which are attached to the inner surface of a
skin or wall, characterized in that the gutter sections (3) are not connected to one
another by strips.
2. Collision-resistant structure according to Claim 1, in which the said skin or
wall (1) is the outer skin of a double-walled structure, and the inner skin (2) of the said
10 structure is directly attached to the gutter sections (3).
3. Collision-resistant structure according to Claim 1, in which the said skin or
wall (1) is the outer skin of a double-walled structure, characterized in that the inner
skin (2) of the said structure is connected to the gutter sections (3) by partitions (7)
attached at right angles to the said inner skin.

1/1

fig - 1




fig - 2




fig - 3





fig - 4

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
22 February 2001 (22.02.2001)

PCT

(10) International Publication Number
WO 01/12499 A3

- (51) International Patent Classification⁷: **B63B 3/26**, 3/20 // 43/18
- (21) International Application Number: PCT/NL00/00565
- (22) International Filing Date: 11 August 2000 (11.08.2000)
- (25) Filing Language: Dutch
- (26) Publication Language: English
- (30) Priority Data:
1012814 12 August 1999 (12.08.1999) NL
- (71) Applicant (*for all designated States except US*):
SCHELDE MARITIEM B.V. [NL/NL]; P.O. Box 555, NL-4380 AN Vlissingen (NL).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): LUDOLPHIJ, Johannes, Wilhelmus, Lubbertus [NL/NL]; Luzacstraat 7, NL-4384 EW Vlissingen (NL).
- (74) Agent: JORRITSMA, Ruurd; Nederlandsch Octrooibureau, Scheveningseweg 82, P.O. Box 29720, NL-2502 LS The Hague (NL).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- (88) Date of publication of the international search report:
23 August 2001
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: COLLISION-RESISTANT STRUCTURE



(57) Abstract: A collision-resistant structure, for example for a ship, comprises a series of gutter sections (3) which are positioned next to or above one another, are made from a ductile material and the end edges of which are attached to the inner surface of a skin or wall (1). The gutter sections are not connected to one another by strips.



WO 01/12499 A3

INTERNATIONAL SEARCH REPORT

Intern. Application No PCT/NL 00/00565		
A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B63B3/26 B63B3/20 //B63B43/18		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) IPC 7 B63B		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, PAJ		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 381 639 C (DORNIER-METALLBAUTEN GMBH; DORNIER CL) 22 September 1923 (1923-09-22) figures 1,3 page 1, line 1 -page 2, line 70 page 2, line 88 - line 106	1-3
X A	GB 01320 A A.D. 1915 (THOMPSON WILLIAM S) 27 January 1916 (1916-01-27) the whole document	1 2,3
X,P	WO 00 35746 A (SCHELDE MARITIEM B V; LUDOLPHIJ JOHANNES W L) 22 June 2000 (2000-06-22) cited in the application abstract; claim 1; figure 1	1,3
-/-		
<div style="display: flex; justify-content: space-between;"> <input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex. </div>		
<div style="display: flex;"> <div style="flex: 1;"> <p>* Special categories of cited documents :</p> <p>*A* document defining the general state of the art which is not considered to be of particular relevance</p> <p>*E* earlier document but published on or after the international filing date</p> <p>*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>*O* document referring to an oral disclosure, use, exhibition or other means</p> <p>*P* document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="flex: 1;"> <p>*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>*G* document member of the same patent family</p> </div> </div>		
Date of the actual completion of the international search 24 November 2000	Date of mailing of the international search report 01/12/2000	
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Häusler, F.U.	

INTERNATIONAL SEARCH REPORT

Intern. Patent Application No
PCT/NL 00/00565

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 12 53 088 B (ELTRO G.M.B.H. & CO., GESELLSCHAFT FUER STRAHLUNGSTECHNIK) 26 October 1967 (1967-10-26) figure 1 column 1, line 33 -column 2, line 44 ---	1,2
A	HISASHI I ET AL: "COLLISION RESISTANCE OF DOUBLE-HULLED TANKERS" OFFSHORE, vol. 55, no. 11, 1 November 1995 (1995-11-01), page 70,77 XP000555364 PETROLEUM PUBLISHING CO., TULSA, OK, US ISSN: 0030-0608 figures ---	1-3
A	GB 521 305 A (SVEISEINDUSTRI A/S) 29 January 1946 (1946-01-29) figures 1,2,4 -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. Application No

PCT/NL 00/00565

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 381639	C	NONE	
GB 001320	A	NONE	
WO 0035746	A	22-06-2000	NL 1010794 C 19-06-2000 AU 1896800 A 03-07-2000
DE 1253088	B	NONE	
GB 521305	A	NONE	